JDS.

SHEET 1 OF 6

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY, DOCKET NO. UC067,002A

APPLICATION NO. 09/847,208

RECEIVED

HEFORMATION DISCLOSURE STATEMENT
E BY APPLICANT

APPLICANT Saxon et al.

AUG 0 1 2001

SE SEVERAL SHEETS IF NECESSARY)

FILING DATE May 1, 2001 GROUP 1644

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
TAT	1.	5,329,028	7/12/94	Ashkenazi et al.			

	FOREIGN PATENT DOCUMENTS							
EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION
INITIAL	7						YES	NO
Tok	2.	WO88/09344	12-1-88	PCT				
TAH	3.	WO96/26961	9-6-96	PCT				

	I				
EXAMINER INITIAL	Ì	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)			
	4.	Adamczewski, M., and Kinet, J.P., "The High-Affinity Receptor for Immunoglobulin E" Chemical Immun., 59:173-			
PNH		190 (1994)			
1	5.	Arm et al.,"Molecular Cloning of gp49, a Cell-surface Antigen That Is Preferentially Expressed by Mouse Mast Cell			
	Progenitors and Is a New Member of the Immunoglobulin Superfamily" J. Biol. Chem. 266:15966-73 (1991)				
	6.	Barnes, Peter, "Anti-IgE Antibody Therapy for Asthma" The New England Journal of Medicine 341:2006-2008 (1999)			
	7.	Beasley et al.,"prevalence and Etilogy of asthma" J. Allergy Clin. Immunol. 105:466-472 (2000)			
	8.	Blondel, A. and Bedouelle,"Engineering the quaternary structure of an exported protein with a leucine zipper"			
		Protein Engineering 4:457-461 (1991)			
	9.	Burks, et al. "Mapping and mutational analysis of the IgE-binding epitopes on Ara h 1, a legume vicilin and a major			
		allergen in peanut hypersensitivity" Eur. J. Biochem. 245:334-339 (1997)			
		Cambier, J.C., "Inhibitory receptors abound?" Proc. Natl. Acad. Sci. USA 94:5992-5995 (1997)			
	11.	Casares et al. "Engineering an characterization of a murine MGC class II-immunoglobulin chimera expressing an			
	7	immunodominant CD4 T viral epitope" Protein Engineering 10(11):1295-1301 (1997)			
	12.	Casares et al., "Antigen-specific Signaling by a Soluble, Dimeric Peptide/Major Histocompatibility Complex Class			
		II/Fc Chimera Leading to T helper Cell Type 2 Differenciation" J. Exp. Med. 190:543-553 (November 1999)			
	13.	Costa et al., "The IgE-binding epitopes of rPar j2, a major allergen of Parietaria judaica polen, are heterogeneously			
		recognized among allergic subjects" Allergy 55:246-50 (2000)			
	14.	Daeron et al. "The Same Tyrosine-Based Inhibition Motif, in the Intra-cytoplasmic Domain of FCγRIIB, Regulates			
		Negatively BCR-, TCR-, and FcR-Dependent Cell Activation" Immunity, 3:635-646 (November 1995)			
	15.	Daeron et al, "Regulation of High-affinity IgE Receptor-mediated Mast Cell Activation by Murine Low-affinity IgG			
¥		Receptors". J. Clin. Invest 95:577-585 (February 1995)			

EXAMINER	Toky No	As	DATE CONSIDERED	10	/3/01
*EXAMINER: INITIAL IF	CITATION CONSII	DEBED, WHETHER OR NOT CITATION I	S IN CONFORMANCE WITH MPE	P 609	; DRAW LINE THROUGH CITATION IF NOT
IN CONFORMANCE AND		ED, INCLUDE COPY OF THIS FORM WIT	TH NEXT COMMUNICATION TO A	PPLIC	CANT.



FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTY, DOCKET NO. UC067.002A

APPLICATION NO. 09/847,208

「知识ORMATION DISCLOSURE STATEMENT BY APPLICANT

(USESEVERAL SHEETS IF NECESSARY)

APPLICANT Saxon et al.

FILING DATE May 1, 2001 **GROUP**

EXAMINER OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) INITIAL De Lara, J.M. Tunon, "Immunoglobulines E et cellules de l'inflamation" Rev. Mal. Resp. 13:27-36 (1996) HUT 17. Ellison and Hood., "Linkage and sequence homology of two human immunoglobulin γ heavy chain constant region genes" Proc. Nat. Acad. Sci. USA 79:1984-1988 (1982) Ellison et al., "The nucleotide sequence of a human immuniflobulin cyl gene" Nucl. Acids Res. 10(13):4071-4079 (1982)Fiebiger et al., 'Serum IgG Autoantibodies Directed against the α Chain of a Fcε RI: A Selective Marker and Pathogenic Factor for a Distinct Subset of Chronic Urticaria Patients" The Journal of Clinical Investigation 96:2006-2612 (December 1995) Fiebiger et al., "Anti-FcεRIα Autoantibodies in Autoimmune-mediated Disorders Identification of a Structure-Function Relationship" J. Clin. Invest. 101:243-251 (January 1998) Fridman, W., "Fc Receptors and Immunoglobulin binding factors" FASEB J., 5(12):2684-90 (1991) Gerber, Jeffrey and Mosser, David, 'Reversing Lipopolysaccharide Toxicitu by Ligating the Macrophage Fcy Receptors" The Journal of Immunology 6861-6868 (2001) Hayami et al., "Molecular Cloning og a Novel Murine Cell-surface Glycoportein Homologous to Killer Cell Inhibitory Receptors" J. Biol. Chem. 272:7320-7 (1997) Hide et al.,"Autoantibodies against the high-affinity IgE receptor as a cause of histamine release inchronic urticaria" N. Engl. J. Med. 328:1599-1604 (1993) Kikutani et al. "Molecular Structure of Human Lymphocyte Receptor for Immunoglobulin E" Cell 47:657-665 (December 1996) Kondo et al. "Cloning of cDNAs for New Subtypes of Murine Low-Affinity Tc Receptor for IgE (FceRII/CG23)" Int. 26. Arch. Immunol. 105:38-48 (1994) Krawinkel an Rabbitts, "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chiain genes and the linkage of the gamma 2 and gamma 4 subclass genes" The EMBO 1(4):403-307 (1982) Landschulz, W. H., et al., 'The Leucine Zipper: A Hypothetical Structure Common to a New Class of DNA Binding Proteins" Science 240:1759-1764 (1988) Legge et al.," Coupling of Peripheral Tolerance to Endogenous Interleukin 10 Promotes Effective Modulation of Nyelin-activated T Cells an Ameliorates Experimental Allergic Encephalomyelitis" J. Exp. Med. 191(12):2039-2051 (June 2000) Legge et al.," Presentation of a T Cell Receptor Antagonist Peptide by Immunoglobulins Ablates Activation of T Cells by a Synthetic Peptide or Proteins Requiring Endicytic Processing" J. Exp. Med. 185(6):1043-1053 (March 1997) Ludin et al.,"Cloning and expression of the cDNA coding for a human lymphocyte Ige receptor" EMBO J. 6:109-114 (1987)Lu-Kuo et al., "gp49B1 Inhibitors IgE-initiated Mast Cell Activation through Both Immunoreceptor Tyrosine-based inhibitory Motifs, Recruitment of src Homology 2 Domain-containing Phosphatase-1, and Suppression of Early and Late Calcium Mobilization" J. Biol. Chem. 274:5791-96 (1999) Malbec and Fridman, :Negative Regulation of Hematopoietic Cell Activation and Proliferation bt FcyRIIB" Curr. Top. Microbiol. Immunol. 244:13-27 (1999)

EXAMINER	DK, N. War	DATE CONSIDERED	10/3/01
*EXAMINER: INITIAL IF CIT	ATION CONSIDERED WHETHER OR NOT CITATION IS IT CONSIDERED, INCLUDE COPY OF THIS FORM WIT	S IN CONFORMANCE WITH MPEP (H NEXT COMMUNICATION TO APP	509; DRAW LINE THROUGH CITATION IF NOT



FORM PTO-1449 +

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTY. DOCKET NO. UC067.002A

APPLICATION NO. 09/847,208 RECEIVED

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

APPLICANT Saxon et al. AUG 0 1 2001

SE SEVERAL SHEETS IF NECESSARY)

FILING DATE May 1, 2001

GROUP 1644

TECH CENTER 1600/2900

1111 3 B	3.5					
EXAMINER INITIAL INITIAL	40	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)				
THAT I	34.	Max et al., "Duplication and Deletion in the Human Immuniglobulin ε Genes" Cell 29:691-699 (June 1992)				
	35.	Mustelin et al., "Lymphocyte Activation: The coming of the protein tyrosine phosphatases" Front. Biosci. 3:d1060-1096 (1998)				
	36.	O'Shea, E. K. et al., "Evidence That the Leucine Zipper Is a Colied Coil" Science 243: 38-542 (1989)				
	37.	Ott and Cambier, "Activating and inhibitory signaling in mast cells: New opportunities for therapeutic intervention?" J. Allergy Clin. Immunol. 106(3):429-440 (2000)				
	38.	Peat and Li, "Reversing the trend: Reducing the prevalence of asthma" J. Allergy Clin. Immunol. 103:1-10 (1999)				
		Presta et al., "The Binding Site on Human Immunoglobulin E for Its High Affinity Receptor" J. Biol. Chem. 269:26368-73 (1994)				
	Ť	Rabjohn et al., "Molecular cloning and epitope analysis of the peanut allergen Ara h3" J. Clin. Invest. 103:535-542 (1999)				
	41.	Ruckert et al. "IL-15-IgG2b fusion protein accelarates and enhances a Th2 but not a Th1 immune response in vivo, while IL-15-IgG2b fusion protein inhibits both" Eur. J. Immunol. 28:3312-3320 (1998)				
	42.	Schmidt-Dorr, et al., "Construction, Purification, and Characterization of a Hybrid Portein Comprising the DNA Binding domain of a LexA Repressor and the Jun Leucine Zipper: A Circular Dichroism and Mutagenesis Study", Biochemistry 30:9657-9664 (1991)				
	43.	Sinclair, NR, "Why So Many Coinhibitory Receptors?" Scand. J. Immunol. 50:10-13 (1999).				
	44.	Stanley et al., "Identification and Mutational Analysis of the Immunodominant IgE Binding Epitopes of the Major Peanut Alllergen Ara h 2" Arch Biochem. Biophys. 342:244-53 (1997)				
		Sutterwala, et al., "Reversal of Proinflammatory Responses by Ligating the Macrophage Fcy Rceptor Type I" J. Exp. Med. 188:217-222 (July 1998)				
		Sutterwala, et al., "Selective Suppression of Interleukin-12 induction after Macrophage Receptor Ligation" J. Exp. Med. 185:1977-1985 (June 1997)				
	47.	Takahasi et al., "Structure of Human Immunoglobulin Gamma Genes Implications for Evolution of a Gene Family" <u>Cell</u> 29:671-679 (1982)				
	48.	Wagtmann et al.,"GP49:An Ig-like Recptor with Inhibitory Properties on Mast Cells and Natural Killer Cells" <u>Current Top. Micobiol. Immunol.</u> 244:107-113 (1999)				
		Watson et al.,"Molecular cloning and sequencing of the low-affinity IgE receptor (CD23) for horse and cattle" Vet. Immunol. Immunopathol. 73:323-9 (2000)				
	7	Wines et al., "The IgG Fc Contains Distinct Fc Receptor (FcR) Binding Sites: The Leukocyte Receptors FcyRI and FcyRIIa Bind to a Region in the Fc Distinct from That Recognized by Neonatal FcR and Protein A" J. Immunol. 164(10):5313-5318 (2000)				
		Yarden et al., "Human proto-oncogene c-kit: a new cell surface receptor tyrosine kinase for an unidentified ligand", EMBO J. 6:3341-51 (1987)				
	52.	Zhang et al., "Twi Unusual Forms of Human Immunoglobulin E Encoded by Alternative RNA splicing of ε Heavy Cjain Membrane Exons", the Journal of Experimental Med. 175:233-243 (July 1992)				

EXAMINER	John N. Hys	DATE CONSIDERED	10/3/01
*EXAMINER: INITIAL IF CIT	TATION CONSIDERED, WHETHER OR NOT CITATION IS	S IN CONFORMANCE WITH MPEP 60	9; DRAW LINE THROUGH CITATION IF NOT
IN CONFORMANCE AND N	OT CONSIDERED, INCLUDE COPY OF THIS FORM WITH	H NEXT COMMUNICATION TO APPL	ICANT.

	.3				
	FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET NO UC067.002A	RECEIVE	
6	1 8 m E	DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Saxon et al.	AUG 3 0 200	<u>1</u> 10/2900
/ MI	TENT & TREE	L SHEETS IF NECESSARY)	FILING DATE May 1, 2001	JEON OF MAN	GROUP 1644

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
!						

SHEET 1 OF 3

FOREIGN PATENT DOCUMENTS								
EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	CLASS SUBCLASS	TRANSLATION	
INITIAL							YES	МО

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)				
Trut	1.	Ashman et al., "Fc Receptor Off-Signal in the B Cell involves Apoptosis".				
1	2.	Chan and Sinclair, "Regulation of the Immune Response" Immunology 21:967-981 (1971)				
	3.	Daeron, Marc, "Fc Receptor Biology, "Annu. Rev. Immunol. 15-203-2334 (1997)				
	4.	Gollnick et al., "Isolation, Characterization, and Expression of Cdna Clones Encoding the Mouse Fc Receptor for (FceRII)" The Journal of Immunology 144:1974-1982 (1974)				
	5.	5. Harrison and Hafler, "Antigen-specific therapy for autoimmune disease" 704-711				
	6. Hellman, Lars, "Characterization of four novel ε chain of mRNA and a comparative analysis of ghenes for immunoglobulin E in rodents and man". Eur. J. Immunol. 23:159-167 (1993)					
	7.	Kabat, Sequences of Proteins of Immunological Ointerst Voll III Fifth Ed. (1991)				
	8.	Kaplan, Allen P., "Urticaria and Angioedema" Inflammation: Basic Principles and Clinical Correlates Gallin and Snyderman Eds., Chapter 35: 667-678 Raven press, NY (1998)				
	9.	Katz, Howard R., "gp49BE and Its Related Family of Counterregulatory Receptors of the Immunoglobulin Superfamily", Int. Arch. Allergy Immunol. 118:177-179 (1999)				
	10.	Metcalfe et al., "Mast Cells" Physiological Reviews 77:1033-1079 (October 1997)				
	11.	Peng et al., "A New Isoform of Human Membrane-Bound IgE" Journal of Immunology. 148:129-136 (January 1992)				
		Phillips and Parker, "Cross-Linked of B Lymphocyte Fcy Receptors and Membrane Immunoglobulin Inhibits Anti- Immunoglobulin-Induced Blastogenesis" The Journal of Immunology 13292) 627-632 (1984)				
	13.	Saxon et al., "Inhibition of Human IgE Production Via FcεR-II Stimulation Results From a Decrease in the mRNA for Secreted But not Membrane ε H Chains" The Journal of Immunology 147:4000-4006 (December 1991)				

EXAMINER	M. N. Hay	DATE CONSIDERED	10/3/01
	INITIAL IF CITATION CONSIDERED, WHETHER OR NOT C		

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

PECC PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT
BY APPLICANT
Saxon et al.

FILING DATE
May 1, 2001

GROUP
1644

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)					
Put		Wetmur et al., "Kinetics of Renaturation of DNA" J. Mol. Biol. 31:349-70 (1966)					
Park	15.	Wetmur, James G., "DNA Probes: Applications of the Principles of Nucleic Acid Hybridization" Critical Reviews in Biochemistry and Molecular Biology 26(34):227-59 (1991)					
 	16.						
	17.						
	18.						
	19.						
	20.						
	21.						
	22.						
	23.						
	24.						
	25.						
	26.						
	27.						
	28.						
	29.						
	30.						
	31.						
	32.						
	33.						
	34.						

EXAMINER	ph	, N. H26	DATE CONSIDERED	16,	/3	3/01
			R OR NOT CITATION IS IN CONFORMANCE WITH PY OF THIS FORM WITH NEXT COMMUNICATION			